




STARLINK | MGA DETALYE NG MINI




Ano ang Laman ng Kahon




Starlink na may Integrated WiFi




Kickstand



Pipe Adapter at Flat Mount



DC Power Cable  
15 m  
(49.2 ft)




Power Supply




Starlink Plug


**Timbang ng Package:** 2.89 kg (6.37 lbs)

**Sukat ng Package:** 430 x 334 x 79 mm (16.92 x 13.14 x 3.11 in)




<b>Antenna</b>	Electronic Phased Array
<b>Field of View</b>	110°
<b>Orientation</b>	Software Assisted Manual Orienting
<b>Timbang</b>	1.10 kg (2.43 lb) 1.16 kg (2.56 lb) kapag may Kickstand 1.53 kg (3.37 lb) kapag may Kickstand at 15 m Cable
<b>Environmental Rating</b>	IP67 Type 4 na may naka-install na DC Power Cable at Starlink Plug/Cable
<b>Operating Temperature</b>	-30°C hanggang 50°C (-22°F hanggang 122°F)
<b>Bilis ng Hangin</b>	Operational: 96 kph+ (60 mph+)
<b>Snow Melt Capability</b>	Hanggang 25mm/oras (1 in/oras)
<b>Power Consumption</b>	Average: 25-40W
<b>Input Rating</b>	12-48V 60W
<b>USB PD Requirement</b>	100W, 20V/5A Minimum (na may Starlink USB-C para sa Barrel Jack Cable Accessory)












<b>Wi-Fi Technology</b>	802.11a/b/g/n/ac
<b>Generation</b>	WiFi 5
<b>Radio</b>	Dual Band 3 x 3 MU-MIMO
<b>Mga Ethernet Port</b>	Isang (1) Latching Ethernet LAN port na may Starlink Plug
<b>Coverage</b>	Hanggang 112 m <sup>2</sup> (1,200 ft <sup>2</sup> )
<b>Seguridad</b>	WPA2
<b>Power Indicator</b>	LED   face plate sa likod, sa kaliwang sulok sa ibaba
<b>Compatibility ng Mesh</b>	Compatible sa lahat ng Starlink mesh system *Hindi compatible sa mga 3rd party mesh system
<b>Mga Device</b>	Makakakonekta ang hanggang 128 device



<b>Sukat ng Produkto</b>	91 x 44 x 51 mm (3.6 in x 1.7 in x 2.0 in)
<b>Timbang</b>	0.2 kg (0.44 lbs)
<b>Environmental Rating</b>	IP66 Type 4
<b>Operating Temperature</b>	-30°C hanggang 50°C (-22°F hanggang 122°F)
<b>Mga Detalye ng Power</b>	100–240V ~ 1.6A 50–60 Hz









\*Walang kasamang Mini Starlink Cable. Available sa [shop.starlink.com](http://shop.starlink.com).  
Hindi na IP67 ang rating ng produktong ito kasama ng standard na RJ45 cable.

PIPE ADAPTER AT FLAT MOUNT




103.5 mm  
(4.07 in)

58.1 mm  
(2.29 in)



172.7 mm  
(6.8 in)



83.9 mm  
(3.3 in)

41.9 mm  
(1.65 in)

66.1 mm  
(2.6 in)